

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

Listing of Claims:

Claim 1 (Currently Amended): An audio processor which processes an input data stream via an external memory, comprising:

a control processor to fetch in, when executing one of divided procedures of an audio process, a program and audio data corresponding to a next one of the procedures from the external memory which stores programs and a group of data used for sequentially executing the divided procedures of the audio process;

an internal memory to store the program and audio data fetched from the external memory by the control processor and corresponding to the one and the next one of the procedures;

a coprocessor to subserve the control processor to subject audio data of the input data stream to the divided procedures of the audio process sequentially, based on the program fetched by the control processor, the coprocessor executing multiplication/accumulation addition according to VLIW (Very Long Instruction Word),

wherein the internal memory comprises an instruction memory configured to store an instruction group of the program transferred from the external memory and a data memory configured to store a data group transferred from the external memory, and the coprocessor subserves the control processor to perform the process based on the instruction group using the data in the data memory and data corresponding to a progress stage of audio data reconstruction to generate audio data,

the audio processor further including a DMA controller configured to control writing of data to the external memory, the instruction memory and the data memory, and reading of the data therefrom by a direct access memory transfer,

wherein the internal memory stores a program module which request the DMA controller for preparing, while continuing the procedure which is currently performed, the data group and instruction group that are required for the next procedure.

Claim 2 (Previously Presented): An audio processor according to claim 1, wherein the coprocessor is configured to subserve the control processor to subject sequentially the audio data to decoding, noise-less decoding, noise reduction, filter bank, and block switching in accordance with the programs and data fetched from the external memory in units of one procedure.

Claim 3 (Previously Presented): An audio processor according to claim 2, wherein the coprocessor is configured to subserve the control processor to execute the program fetched in the internal memory from the external memory in accordance with progress of the procedures of the audio process.

Claims 4-7 (Cancelled).

Claim 8 (Previously Presented): An audio processor according to claim 1, wherein the control processor sequentially transfers a plurality of program modules corresponding to procedures of the audio process to the coprocessor from the external memory according to the progress of the procedures.

Claim 9 (Previously Presented): An audio processor according to claim 1, wherein the coprocessor subserves the control processor to execute decoding of bit stream data,

noiseless decoding, inverse quantization, scale factor, TNS processing, filter bank processing, and the block switching, in this order, to reconstruct audio data.

Claim 10 (Previously Presented): An audio processor according to claim 9, wherein the control processor includes a function of predicting which procedure is performed after the procedure which is currently performed.

Claim 11 (Cancelled).

Claim 12 (Currently Amended): An audio processor according to claim 1 ~~claim 11~~, wherein a DMA transfer instruction is added to the program module in order to read the program module used in the next procedure from the external memory, the DMA transfer instruction allowing to read the program module with the DMA transfer by specifying the storage area.

Claim 13 (Previously Presented): An audio processor according to claim 1, wherein the control processor is further configured to save data stored in the internal memory from the internal memory to the external memory if determined to be unused for a predetermined time by the control processor.

Claim 14 (Previously Presented): An audio processor according to claim 13, wherein the control processor is further configured to release a storage region of the internal memory occupied by the data stored in the internal memory or a program if the data stored in the internal memory or the program becomes unused by the coprocessor.

Claims 15-19 (Cancelled).

Claim 20 (Previously Presented): An audio processor according to claim 1, wherein said coprocessor is configured to process only audio data.

Claims 21-23 (Cancelled).

Claim 24 (Previously Presented): The audio processor according to claim 1, wherein the internal memory includes an instruction memory and a data memory, and at least two parallel busses lead from the instruction memory and the data memory to the coprocessor.

Claims 25-29 (Cancelled).

Claim 30 (Previously Presented): The audio processor according to claim 1, further comprising:

an audio input/output interface; and

an internal bus;

wherein the internal bus links the control processor, the coprocessor and the audio input/output interface together.

Claim 31 (Cancelled).